

2024
(EN)

Vientosport

 **ANLAS**

Enhance Your Feelings...

RIDE SPORT	13
Viento Sport	17
Viento Turismo	25
RIDE WINTER	33
Winter Grip Plus	37
Winter Grip 2	45
RIDE ADVENTURE	53
Capra RD 2	57
Capra RD	63
Capra R	71
Capra XR	80
Capra X	88
RIDE (RACE) ENDURO	100
Capra X Rally	104
Capra Extreme	112
RIDE (RACE) DIRT	120
Capra MX	124
ARD - 1 Flat Track	130
Speedway	138
RIDE URBAN	144
SC360 AllGrip	148
Tournée 2	156
Tournée	164
Tournée Sport	165
Product List	170


BRAND STORY

We are a ride-inspired tyre brand, aiming to amplify and enhance the experience, driven by the motivation to provide characteristic, specialized and tailor-made tyres to fulfill the expectations of riders.



Specialized in motorcycle tyres, the Anlas team knows the spirit of two wheels, follows the trends, and understands what needs to be created for riders.

DISPLACEMENT



APPLICATION

1-SUFFICIENT | 2-MODERATE | 3-GOOD | 4-VERY GOOD | 5-EXCELLENT | 6-EXTRAORDINARY

	ONROAD				
	GRIP	HANDLING	MILEAGE	WET	COMFORT
CAPRA RD	██████████	██████████	██████████	██████████	██████████
CAPRA R	██████████	██████████	██████████	██████████	██████████
CAPRA X	██████████	██████████	██████████	██████████	██████████
WINTER GRIP PLUS	██████████	██████████	██████████	██████████	██████████
	OFFROAD				
	GRAVEL	TRAIL	MUD	SAND	
CAPRA RD	██████████	██████████	██████████	██████████	
CAPRA R	██████████	██████████	██████████	██████████	
CAPRA X	██████████	██████████	██████████	██████████	
WINTER GRIP PLUS	██████████	██████████	██████████	██████████	
	WINTER				
	GRIP	HANDLING	MILEAGE	WET	COMFORT
CAPRA RD	██████████	██████████	██████████	██████████	██████████
CAPRA R	██████████	██████████	██████████	██████████	██████████
CAPRA X	██████████	██████████	██████████	██████████	██████████
WINTER GRIP PLUS	██████████	██████████	██████████	██████████	██████████



ENHANCE YOUR FEELINGS.

Freedom, excitement and pleasure on the road.

The Viento Sport and the Viento Turismo draw their attributes from your feelings.

Throughout the design and production process of the Viento Sport and the Viento Turismo, we aimed to give you the true feeling of riding.

We have improved the handling performance to allow you to enjoy the satisfaction of speed in a safe way. Trust your tyres. Enhance your feelings.

VIENTO SPORT





New Viento Sport

Enhance your feelings!

Tailored design and engineering provide sporty feeling in every aspect of riding.

- Zero degree radial with variable winding technology enhances riding stability.
- Sensitive handling behaviour enables instant feedback and provides increased lean control.
- Reliable, stable and solid. The new Viento Sport keeps up to your needs and provides you with pure riding experience.
- Street ride or track performance; Silica rich compound delivers great grip in all conditions.



DYNAMIC AND AGILE

- Tailored tyre profile to enjoy every moment of riding

Enhanced Performance

Smooth and stable riding performance with Zero Degree Steel Belt and Variable Winding Technology (VWT)

- VWT provides precise handling with increased feedback feeling from the ground.

- Jointless Zero Degree Steel Belt with VWT,

- Increased density in the center zone increase high-speed stability.
- The VWT ensures maximum contact patch on the shoulders while cornering, even in the tightest bends.

- The specially engineered Rayon carcass construction and reinforced sidewalls provides greater handling response and maximum stability in high-performance riding conditions.

Outstanding Grip

Thanks to the silica-rich tread compound, the new Viento Sport provides maximum grip, whether on the street or on the track.


- Anlas Tyres's new generation super sport compound, contains SSBR elastomers with high compatibility silica. The tread compound with immensely saturated silica provides consistent high-speed riding performance on tracks and greater grip on street riding even on wet surfaces.



Dedicated grooves to provide heating control in performance riding.

Variable Void Ratio.

The grooves located in the axis of the driving direction from center to the shoulder, provider greater safety with increased wet evacuation performance.



VIENTO SPORT



FRONT		
SIZE	NOTE	CODE
110/70 ZR 17 M/C 54W TL		6370
120/70 ZR 17 M/C (58W) TL		6424
REAR		
SIZE	NOTE	CODE
140/70 R 17 M/C 66H TL	NEW	6371
150/60 ZR 17 M/C 66W TL		6372
160/60 ZR 17 M/C (69W) TL		6403
180/55 ZR 17 M/C (73W) TL		6369
190/50 ZR 17 M/C (73W) TL		6345
190/55 ZR 17 M/C (75W) TL		6402



VIENTO TURISMO



NEW **VIENTO** **TURISMO**

Enhance your feelings.

The Viento Turismo is the new generation Sport Touring tyre; which is developed for those riders who are looking for a riding experience to the fullest.



Tailored Carcass Construction for Sport Turing bikes

Rayon based carcass construction provides maximum stability and greater safety on high-speed cruise and loaded riding.

Variable Winding Technology (VWT)

Enhanced riding pleasure with Jointless Zero Degree Steel Belt and VWT, delivered from the Viento Sport

- Jointless Zero Degree Belt with VWT,
 - Increased density in the center zone increase high-speed stability.
 - VWT ensures maximum contact patch on the shoulders while cornering, even in the tightest bends.

Specially developed for high performance riding, the Rayon construction carcass structure and reinforced high handlebar sidewall design provides a seamless response rate with maximum stability.

Outstanding grip performance with the silica-rich compound. Special sport touring pattern design to ensure safe rides.


The V-Profile grooves provide increased stability and traction even on wet and challenging conditions.

Continuous groove design to ensure safety on wet and challenging conditions.

Increased wet evacuation performance with groove profile that increases the width towards the shoulder.

Low noise and high comfort with variable pitch pattern design.

Variable Void Ratio.



VIENTO TURISMO



FRONT		
SIZE	NOTE	CODE
120/70 ZR 17 M/C (58W) TL	NEW	6422
110/80 R 19 M/C 59V TL	NEW	6476
120/70 R 19 M/C 60V TL	NEW	6469
REAR		
SIZE	NOTE	CODE
150/70 R 17 M/C 69V TL	NEW	6477
160/60 ZR 17 M/C (69W) TL	NEW	6436
170/60 R 17 M/C 72V TL	NEW DUAL COMPOUND	6470
180/55 ZR 17 M/C (73W) TL	NEW DUAL COMPOUND	6435
190/55 ZR 17 M/C (75W) TL	NEW DUAL COMPOUND	6423





The Only True Master Of Winter

Meet the world's first and only* motorcycle winter tyre. With their superior technology that defies bad weather conditions, Winter Grip Plus and Winter Grip 2 are designed for you to enjoy riding during all four seasons.

*Suitable for original load and speed index.

WINTER GRIP PLUS





The world's first and only* M/C winter tyre

***Suitable for original load and speed index.**

**The WINTER GRIP PLUS by ANLAS is developed
for bikers with larger bikes who prefer
to use their bike in any weather condition.**

The WINTER GRIP PLUS is designed to keep its users on the road, when others have to leave their bike at home due to cold and/or wet weather. Safety on cold and wet roads have been the main target of development for the WINTER GRIP PLUS.

The usage of the newest polymer and overall material technology combined with Zero Degree Radial technology have it possible to produce a safe and well performing tyre under the worst weather conditions.

Superior Grip In Cold Weather Conditions


Ride safely in harsh winter conditions with Anlas Winter Grip Technology. Let the Winter Grip compound tie you up to the road with its impressive grip performance. Thanks to the Winter Grip pattern design, the Winter Grip ensures a safe travel even in heavy wet conditions.

Winter Grip - Compound

The Winter Grip Compound, developed by Anlas Tyres, provides immediate grip even below zero degree conditions, with reaching service temperatures on the tread in a short riding time.

Zero Degree Steel Belt

The Jointless Zero Degree Steel belt provides maximum stability, shorter braking distance and outstanding cornering, in loaded riding conditions or at high speeds.



WINTER GRIP PLUS



FRONT

SIZE	NOTE	CODE
110/70 R 17 M/C 54H M+S TL		6328
120/70 ZR 17 M/C (58W) M+S TL		6288
110/80 R 19 M/C 59V M+S TL		6245
120/70 R 19 M/C 60V M+S TL		6285
90/90 - 21 M/C 54V M+S TL		6327

REAR

SIZE	NOTE	CODE
140/70 R 17 M/C 66H M+S TL		6329
150/70 R 17 M/C 69V M+S TL		6246
160/60 ZR 17 M/C (69W) M+S TL		6289
170/60 R 17 M/C 72V M+S TL		6286
180/55 ZR 17 M/C (73W) M+S TL		6287
190/55 ZR 17 M/C (75W) M+S TL		6324
150/70 R 18 M/C 70V M+S TL		6330



 **WINTER GRIP 2**





Ride safe in all four season

With the specially developed silica-containing Winter Grip compound and pattern design, wet or cold surface, ride safely in all conditions.



The Real Winter Scooter tyre with
M+S and 3PMSF markings

Specially designed V profile grooves with
extreme numbers of kerf cuts, provide outstanding
grip and safety performance on the most extreme city
conditions, for four season.

Shoulder to shoulder continuous grooves
provides enhanced wet evacuation.

Low noise and high comfort with variable
pitch pattern design.

Ride Safely In All Four Season


Winter Grip 2 pattern and compound have been develop to provide
maximum safety on harshest conditions of city riding.
Outstanding wet grip, short breaking distance for all four season.

Maximum Safety in City Riding

- High stability,
- Responsive and agile handling behaviour
- Enhanced city safety

Winter Grip Technology

The Silica-rich Winter Grip Compound, developed by Anlas,
even below zero degree conditions, provides grip immediately
with reaching service temperature on the tread in a short
riding time.



WINTER GRIP 2

SIZE	NOTE	CODE	F / R
3.00 - 10 50M M+S TL REINF.		6143	FRONT / REAR
3.50 - 10 59M M+S TL REINF.		6106	FRONT / REAR
100/80 - 10 53P M+S TL		6119	FRONT / REAR
100/90 - 10 56M M+S TL		6115	FRONT / REAR
120/70 - 10 54M M+S TL REINF.		6122	REAR
120/90 - 10 57P M+S TL		6121	FRONT / REAR
130/90 - 10 61L M+S TL		6152	FRONT / REAR
110/70 - 11 45M M+S TL		6116	FRONT / REAR
120/70 - 11 56P M+S TL REINF.		6354	REAR
90/90 - 12 44J M+S TL		6144	FRONT / REAR
110/70 - 12 56P M+S TL		6415	FRONT / REAR
110/90 - 12 64P M+S TL		6146	FRONT / REAR
120/70 - 12 58P M+S TL REINF.		6111	FRONT / REAR
130/70 - 12 62P M+S TL REINF.		6112	FRONT / REAR
140/70 - 12 65P M+S TL REINF.		6359	REAR
110/70 - 13 M/C 48S M+S TL		6315	FRONT / REAR
110/90 - 13 M/C 56Q M+S TL		6147	FRONT / REAR
120/70 - 13 M/C 53P M+S TL		6358	FRONT / REAR
130/60 - 13 M/C 60P M+S TL REINF.		6150	FRONT / REAR
130/70 - 13 M/C 63Q M+S TL REINF.		6151	REAR
140/60 - 13 M/C 63S M+S TL REINF.		6339	REAR
150/70 - 13 M/C 64S M+S TL		6155	REAR
80/90 - 14 M/C 46P M+S TL REINF.	NEW	6434	FRONT / REAR
90/90 - 14 M/C 46P M+S TL		6260	FRONT / REAR
100/80 - 14 M/C 48S M+S TL		6397	FRONT / REAR
100/90 - 14 M/C 57P M+S TL REINF.		6261	REAR
110/70 - 14 M/C 50P M+S TL	NEW	6433	FRONT / REAR

SIZE	CODE	F / R
120/70 - 14 M/C 55S M+S TL	6340	FRONT / REAR
120/70 R 14 M/C 55H M+S TL	6385	FRONT
120/80 - 14 M/C 58S M+S TL	6149	FRONT / REAR
140/60 - 14 M/C 64S M+S TL REINF.	6316	REAR
140/70 - 14 M/C 68S M+S TL REINF.	6153	REAR
150/70 - 14 M/C 66S M+S TL	6156	REAR
160/60 R 14 M/C 69H M+S TL	6395	REAR
120/70 - 15 M/C 56S M+S TL	6148	FRONT
120/70 R 15 M/C 66H M+S TL	6392	FRONT / REAR
140/70 - 15 M/C 69S M+S TL	6389	REAR
160/60 R 15 M/C 67H M+S TL	6259	REAR
80/80 - 16 M/C 45P M+S TL REINF.	6404	FRONT / REAR
90/80 - 16 M/C 51P M+S TL REINF.	6412	FRONT / REAR
100/80 - 16 M/C 56P M+S TL REINF.	6391	FRONT
110/70 - 16 M/C 52P M+S TL	6145	FRONT / REAR
120/70 - 16 M/C 57S M+S TL	6355	FRONT / REAR
120/80 - 16 M/C 60P M+S TL	6258	REAR
130/70 R 16 M/C 61H M+S TL	6335	REAR
140/70 - 16 M/C 65P M+S TL	6154	REAR
90/90 - 17 M/C 49P M+S TL	6251	FRONT
100/80 - 17 M/C 52S M+S TL	6317	FRONT
110/80 - 17 M/C 57P M+S TL	6250	REAR
130/70 - 17 M/C 62S M+S TL	6292	REAR
2.75 - 18 M/C 42P M+S TL	6290	FRONT / REAR
90/90 - 18 M/C 57P M+S TL REINF.	6291	REAR



You're safe riding anywhere, whether in the city or out of town.
Accompanying you on your most exciting adventures, the Capra RD,
Capra R and Capra X combine performance and safety.

JOYFUL AND SAFE ADVENTURES



 **CAPRA RD 2**



COMING SOON...

THE NEW CAPRA RD 2

Joyful and Safe AdventuresYou can enjoy safe rides
anywhere, whether in the city or on long journeys.
The new Capra RD 2 is here to accompany you on your
most exciting adventures.

CAPRA RD 2

FRONT	
SIZE	NOTE
110/80 R 19 M/C 59V TL	COMING SOON
120/70 ZR 19 M/C 60W TL	COMING SOON
REAR	
SIZE	NOTE
150/70 R 17 M/C 69V TL	COMING SOON
170/60 ZR 17 M/C 72W TL	COMING SOON



 **CAPRA RD**





Safety, comfort and performance combined!

Capra RD by Anlas Tyres is a new generation enduro tyre featuring a Zero Degree Steel Belt, technology optimized for high performance.

- The use of latest material and technology as well as the passion to produce one of the best performing street tyres for heavier enduro bikes has been the main motivation for developing the Capra RD.
- Sporty handling, unmatched comfort, near to perfect wet grip describes the new Capra RD.
- The modern tread pattern is designed for best performance and comfort for on-road use, as well as for high mileage service.

0° Steel Belt

Maximum performance, high cornering safety, riding stability, and short braking distance with 0° Steel Radial Belt with Variable Winding Technology (VWT).

Special Profile Design

More precise handling and higher cornering performance with the profile customized for enduro street motorcycles.

V-Profile Pattern


With the pattern design designed for enduro street users, riding safety in all conditions, temperature control and surface wear are under control.

Maximum wet evacuation with V profile grooves.

Tread heating controlling with dedicated cuts, provide longer mileage under heavy load or aggressive riding.

%90 Onroad - %10 Offroad pattern design with dedicated void ratio.

The shoulder grooves located in the axis of the driving direction increase cornering safety with enhanced wet evacuation.



CAPRA RD



FRONT		
SIZE	NOTE	CODE
120/70 ZR 17 M/C (58W) TL		6248
110/80 R 19 M/C 59V TL		6243
120/70 R 19 M/C 60V TL		6135
90/90 - 21 M/C 54V TL		6247
REAR		
SIZE	NOTE	CODE
160/60 R 15 M/C 67V TL		6368
150/70 R 17 M/C 69V TL		6244
160/60 ZR 17 M/C (69W) TL		6249
170/60 R 17 M/C 72V TL		6141
180/55 ZR 17 M/C (73W) TL		6314
190/55 ZR 17 M/C (75W) TL		6321
150/70 R 18 M/C 70V TL		6312



 **CAPRA R**





Multi purpose long - lasting tyre!

The Capra R by Anlas Tyres is an enduro tyre featuring fully reinforced radial construction with a polyester carcass and a Zero Degree Steel Belt, optimized for high performance.

Zero Degree Steel Belt

Zero degree jointless steel belt with the Variable Winding Technology (VWT). Riding on-road or off-road with high performance and safety in all conditions.

Onroad & Offroad Profile

Larger contact surface with special profile design, for both on-road and off-road riders.

The specially developed silica enriched compound and using the most advanced technology gives the Capra R superior grip on both dry and wet surfaces.

The aggressive tread pattern is designed in balance for on and off-road utilization, as well as for high mileage service.


Outstanding Comfort

Low noise and high comfort with variable pitch pattern design.

Outstanding Traction

Specially designed V profile grooves and knobs provides outstanding grip and traction on both dry or wet rides in any condition.

The shoulder grooves located in the axis of the driving direction increase cornering safety with enhanced wet evacuation.





FRONT		
SIZE	NOTE	CODE
100/90 - 19 M/C 57H TT		6263
110/80 R 19 M/C 59V TL		6187
120/70 R 19 M/C 60V TL		6325
3.00 - 21 M/C 51S TT		6383
90/90 - 21 M/C 54V TL		6279
REAR		
SIZE	NOTE	CODE
120/90 - 17 M/C 64S TL		6264
130/80 - 17 M/C 65S TL		6262
150/70 R 17 M/C 69V TL		6186
170/60 R 17 M/C 72V TL		6326
120/80 - 18 M/C 62S TT		6384
150/70 R 18 M/C 70V TL		6280



 **CAPRA XR**



The New Capra XR

Enhance your riding, ride beyond the limits.
Outstanding Capra X performance now meets with the
radial construction with V speed index



Versatile Performance: Tailored engineering for a harmonious blend of on-road and off-road capabilities.

Superior On-Road Performance achieved through the implementation of a Jointless Zero Degree Steel Belt and VWT (Variable Winding Technology).

Jointless Zero Degree Belt with VWT Features:

- Increased center tread zone density enhances high-speed stability.
- VWT technology ensures maximum contact patch on the shoulders during cornering.

Tailored Tread Design: Engineered for optimal traction on both on-road and off-road surfaces.

Heat Management: Unique center-tread knob design effectively controls heat generation during high-speed cruising.

Cornering Stability: Shoulder knob distribution maintains continuous contact patches for confident cornering.

Wet Safety Assurance: V profile grooves contribute to improved wet weather safety by enhancing grip and water dispersion.


Advanced Compound: A silica-rich compound, combined with next-generation rubber solutions, delivers maximum grip and safety while offering excellent mileage.

Center-tread knobs are optimized to control heat generation on high speed cruising

Wet riding safety with V profile dispersion grooves.

Customized Tread Design for Exceptional Traction in Both On-Road and Off-Road Riding

Optimized Shoulder Knob Distribution for Enhanced Cornering Safety and Performance



 **CAPRA XR**



FRONT

SIZE	NOTE	CODE
120/70 R 19 M/C 60V M+S TL	NEW	6482
90/90 - 21 M/C 54V M+S TL	NEW	6499

REAR

SIZE	NOTE	CODE
170/60 R 17 M/C 72V M+S TL	NEW	6483
150/70 R 18 M/C 70V M+S TL	NEW	6498



 **CAPRAX**



Uncompromised riding experience

Ready For Adventure!

Capra X is especially designed for off-road use but also owns superb on road capabilities.

The essential tyre for the enduro adventures, the Capra X has been developed for the backcountry riders.



- The tread pattern is optimized for riding comfort,
While it offers lowest possible noise levels it also
provides the greatest grip.

- The pattern blocks are shaped to perform on all types of
surfaces, like tarmac, gravel, sand or rocks.

- No other off-road tyre with a similar 'Knobby Tread Pattern
can beat Capra X's low noise level or its handling properties.

Reinforced Carcass

Carcass construction reinforced with an aramid belt, provides
enhanced durability against extreme conditions.

Special Compound for Offroad

Thanks to offroad dedicated compound developed by Anlas,
the tyre provides optimum riding mileage.
Dirt or sand, wet or dry, Capra X performs with maximum
traction in any kind of terrain.

Outstanding Comfort

Each knob designed independently in sizing.
That variable knob geometry provides minimum
vibration and noise with maximum comfort.


Dynamic Riding Experience

Unique shoulder knob design and distribution
provides maximum contact patch whether
on off-road or on-road cornering.

Variable knob geometry and V profile grooves
provides enhanced traction on muddy
conditions with self cleaning behaviour.

High Stability

V profile knob distribution enhances
riding stability on on-road riding.





FRONT

SIZE	NOTE	CODE
110/80 B 19 M/C 59Q M+S TL		6114
120/70 B 19 M/C 60T M+S TL		6136
90/90 - 21 M/C 54T M+S TL		6134

REAR

SIZE	NOTE	CODE
130/80 B 17 M/C 65R M+S TL		6138
140/80 B 17 M/C 69R M+S TL		6140
150/70 B 17 M/C 69Q M+S TL		6113
170/60 B 17 M/C 72T M+S TL		6142
150/70 B 18 M/C 70T M+S TL		6208





EXCITING AND DURABLE

Adrenaline-filled adventures require strength. Capra X Rally and Capra EXT bring the durability you need to your motorcycle.

Immerse yourself in the adventure with its reinforced casing structure.

 **CAPRA** X RALLY





Developed for high speed and long distance rally tracks.

The New Capra X Rally

For Adventures That Require Stability And Endurance!

*2019 Africa Eco Race +450 cc 2nd

*2022 Hellas Rally Raid +650 cc 1st


*2022 Dinaric Rally +650 cc 2nd

The Capra X Rally was developed with a
reinforced carcass structure for long distances and
high speed rally tracks.

The special compound for Capra X Rally
has been developed for long distance rallies.
The improved superior structural features top
performance in extreme conditions.

Shoulder knobs designed to provide greater
performance on high-speed corners.

The center knob distribution with angles
provides outstanding traction for long and
high-speed tracks.





FRONT

SIZE	NOTE	CODE
90/90 - 21 M/C 54R M+S TT		6399
90/90 - 21 M/C 54R M+S TL	TUBELESS	6463

REAR

SIZE	NOTE	CODE
140/80 - 18 M/C 70R M+S TT		6347
140/80 - 18 M/C 70R M+S TL	TUBELESS	6464
150/70 B 18 M/C 70T M+S TL	NEW	6497



 **CAPRA EXT**





CAPRA EXTREME

For Extreme Riders

The Capra EXT is developed especially for enduro races. The superior structural features of the Capra EXT provide extreme performance in extreme conditions.

An Extreme Tyre

Bias ply construction with reinforced carcass features, the Capra EXT provides durability under extreme conditions.

Due to its unique offroad racing compound and knob designs, the Capra EXT provides superior performance in any kind of weather and track conditions.

Capra EXT is developed with professional enduro riders, for the extreme enduro riders.

Reinforced Construction

With its reinforced carcass structure, the standard version provides racing durability under high-speed and challenging track conditions.

Extra soft version maintain maximum contact patch in any kind of terrain with its flexible carcass construction.

Superior Traction

The standard, soft and extra soft compounds have been developed for all extreme conditions, provide maximum traction in racing tracks.


The standard compound is specially developed to provide more durability under high-speed and long distance rally racing.

Whether wet or dry, rock or wood, the extra soft compound ensures continual grip on any kind of terrain.

Specially designed shoulder knob distribution ensures cornering performance.

Center knob geometry provides maximum traction.

Reinforcement belt between center and shoulder knobs provide high durability.





FRONT

SIZE	NOTE	CODE
90/90 - 21 M/C 54R M+S TT		6254
90/90 - 21 M/C 54R M+S TL	NEW	6460
90/100 - 21 M/C 57R M+S TT		6343
90/100 - 21 M/C 57R M+S TL	NEW	6461

REAR

SIZE	NOTE	CODE
120/90 - 18 M/C 71R M+S TT	NEW	6378
140/80 - 18 M/C 70R M+S TT		6252
140/80 - 18 M/C 70R M+S TL	NEW	6462
140/80 - 18 M/C 70R M+S TT SOFT		6336
140/80 - 18 M/C 70R M+S TT EXTRA SOFT	NEW	6400



RIDE DIRT
The competition tyre for the top of podium.



Flat Track - ARD - 1





The New ARD-1 Flat Track

The new ARD-1 Flat Track tyre is inspired by the World Champion Anlas Speedway tyre.

- Developed for high performance conditions.
- Pattern design especially designed for traction and performance.

ARD - 1 FLAT TRACK



SIZE	NOTE	CODE	F / R
130/80 - 19 M/C 67H NHS TT	NHS - RACING MID-SOFT	6381	FRONT
140/80 - 19 M/C 71H NHS TT	NHS - RACING MID-SOFT	6382	REAR
130/80 - 19 M/C 67H TL	NEW-ROAD LEGAL	6478	FRONT
140/80 - 19 M/C 71H TT	NEW-ROAD LEGAL	6479	REAR
130/80 - 19 M/C 67H TL	NEW-ROAD LEGAL TUBELESS	6495	FRONT
140/80 - 19 M/C 71H TL	NEW-ROAD LEGAL TUBELESS	6496	REAR



Speedway



The Only Tubeless Speedway Tyre

Anlas engineers developed the first and only Tubeless Speedway in the world

- *World Champions' Choice, %100 Native Tubeless race technology.
 - Enhanced traction performance with the Tubeless construction.
 - Kerf canals with better start performance.
- Specific compound developed for an excellent race performance by the Anlas engineers.



SPEEDWAY



SIZE	NOTE	CODE	F / R
2.50 - 10 4PR NHS TT		6437	FRONT/REAR
2.75 - 23 NHS 48P TT		6417	FRONT
2.75 - 23 NHS 48P TL		6318	FRONT
3.00 - 17 NHS 50P TT REINF.		6438	REAR
3.75 - 19 NHS 61P TT	SW002	6390	REAR
3.75 - 19 NHS 61P TL	SW002	6307	REAR
3.75 - 19 NHS 61P TT	SW003-UK ONLY	6419	REAR



RULE THE CITY

Have the maximum performance and safety with the new SC360 ALLGRIP and the new Tournée 2!

Rule the city with Anlas Scooter and Motorcycle tyres!



SC360 **ALLGRIP**





New SC360 AllGrip **Your new companion**

The new SC360 AllGrip is designed to provide maximum confidence in all weather conditions. While providing a more joyful and safe riding experience, the SC360 AllGrip has all the features that a perfect travel companion should have.


Enjoy the ride with maximum safety in all road conditions;

- The special pattern designed for safe performance in variable road conditions
- The tread compound with long lasting high grip
- The carcass structure provides comfortable urban riding experience and high stability

Tailored design center grooves provide safety in wet or even harder urban conditions.

Shoulder grooves ensure continual grip for cornering.

Center knob design provides enhanced riding stability.



SC360 **ALLGRIP**



SIZE	NOTE	CODE	F / R
3.50 - 10 51J TL	NEW	6447	FRONT / REAR
90/90 - 10 50J TL	NEW	6449	FRONT / REAR
100/90 - 10 56J TL	NEW	6452	FRONT / REAR
120/70 - 10 54M TL REINF.	NEW	6454	REAR
120/70 - 11 56L TL REINF.	NEW	6455	FRONT / REAR
90/90 - 12 54P TL	NEW	6494	FRONT / REAR
110/70 - 12 56P TL	NEW	6453	FRONT / REAR
120/70 - 12 58P TL REINF.	NEW	6456	FRONT / REAR
130/70 - 12 62P TL REINF.	NEW	6458	REAR
130/60 - 13 M/C 60P TL REINF.	NEW	6457	FRONT / REAR
80/90 - 14 M/C 46P TL REINF.	NEW	6448	FRONT / REAR
90/90 - 14 M/C 52P TL REINF.	NEW	6451	FRONT / REAR



TOURNÉE 





Rediscover the city with the new Tournée 2!


Discover the city without compromising to rainy weather. The Tournée 2 grants enhanced performance during rainy weather and superior cornering control! Enjoy the city with the Tournée 2, and its high performance and safety.

- Special tread compound providing higher riding safety on wet grounds.
- Increased water drainage with the V-shaped channels and sporty pattern design.
- High comfort, maximum grip and short braking distances in all conditions, whether on long road trips or short city tours.
- A more sporty, more sensitive handlebar feeling with its profile design and carcass structure specific to Maxi Scooters.
- High stability at all lean angles.

Sporty pattern design with V profile grooves.

Increased void ratio.

Enhanced groove distribution on center tread to ensure wet and dirt evacuation.



TOURNÉE



SIZE	NOTE	CODE	F / R
110/70 - 13 M/C 51S TL	NEW	6492	FRONT
130/70 - 13 M/C 63Q TL REINF.	NEW	6487	REAR
140/60 - 13 M/C 63S TL REINF.	NEW	6488	REAR
80/90 - 14 M/C 46Q TL REINF.	NEW	6467	FRONT / REAR
90/90 - 14 M/C 52P TL REINF.	NEW	6468	FRONT / REAR
100/90 - 14 M/C 57P TL REINF.	NEW	6491	FRONT / REAR
110/70 - 14 M/C 50P TL	NEW	6493	FRONT / REAR
120/70 - 14 M/C 61S TL REINF.	NEW	6486	FRONT / REAR
120/70 R 14 M/C 55H TL	NEW	6485	FRONT
140/70 - 14 M/C 68S TL REINF.	NEW	6446	REAR
160/60 R 14 M/C 69H TL	NEW	6490	REAR
120/70 - 15 M/C 56S TL	NEW	6445	FRONT
120/70 R 15 M/C 66H TL	NEW	6459	FRONT
160/60 R 15 M/C 69H TL	NEW	6489	REAR



TOURNÉE



SIZE	NOTE	CODE	F / R
3.00 - 10 50M TL REINF.		6311	FRONT / REAR
3.50 - 10 59M TL REINF.		6224	FRONT / REAR
100/80 - 10 53M TL		6299	FRONT / REAR
100/90 - 10 56M TL		6231	FRONT / REAR
120/70 - 10 54M TL REINF.		6300	REAR
110/70 - 11 45M TL		6301	FRONT / REAR
90/90 - 12 54P TL		6465	FRONT / REAR
110/70 - 12 56P TL		6414	FRONT / REAR
110/90 - 12 64P TL		6166	FRONT / REAR
120/70 - 12 58S TL REINF		6388	FRONT / REAR
130/70 - 12 64P TL REINF.		6386	REAR
110/90 - 13 M/C 56Q TL		6167	FRONT / REAR
120/70 - 13 M/C 53P TL		6366	FRONT / REAR
130/60 - 13 M/C 60P TL REINF.		6398	REAR
150/70 - 13 M/C 64S TL		6175	REAR
80/90 - 14 M/C 46Q TL REINF.		6302	FRONT / REAR
90/90 - 14 M/C 52P TL REINF.		6303	FRONT / REAR
100/80 - 14 M/C 48S TL		6360	FRONT / REAR
110/80 - 14 M/C 59S TL REINF.		6331	FRONT / REAR
120/80 - 14 M/C 58S TL		6169	FRONT / REAR
140/60 - 14 M/C 64S TL REINF.		6238	REAR
150/70 - 14 M/C 66S TL		6176	REAR

TOURNÉE



SIZE	NOTE	CODE	F / R
140/70 - 15 M/C 69S TL REINF.		6332	REAR
160/60 R 15 M/C 69H TL		6393	REAR
80/80 - 16 M/C 45P TL REINF.		6410	FRONT / REAR
80/90 - 16 M/C 48P TL REINF		6432	FRONT / REAR
90/80 - 16 M/C 51S TL REINF.		6337	FRONT / REAR
90/90 - 16 M/C 48P TL		6411	FRONT / REAR
110/70 - 16 M/C 52S TL		6308	FRONT / REAR
130/70 - 16 M/C 61S TL		6239	REAR
130/70 R 16 M/C 61H TL		6277	REAR
140/70 - 16 M/C 65S TL		6309	REAR

TOURNÉE SPORT



FRONT		
SIZE	NOTE	CODE
100/80 - 17 M/C 52S TL		6306
110/70 R 17 M/C 54H TL		6296

REAR		
SIZE	NOTE	CODE
130/70 - 17 M/C 62S TL		6310
140/70 R 17 M/C 66H TL		6297

TYRE MARKINGS



**1 TYRE MANUFACTURER
ANLAS**

**2 TREAD PATTERN NAME OR
COMMERCIAL NAME
WINTER GRIP PLUS**

3 SIZE
150/70 R 17 M/C
150 - Tyre section nominal width (mm)
70 - Tyre aspect ratio%
R - Tyre construction technology
(“-”cross, “B” conventional belted, “R”radial)
17 - rim diameter (inc)

**4 COUNTRY OF ORIGIN
TURKEY**

The maximum load in lbs is written on every ANLAS tyre together with the corresponding maximum cold inflation pressure in psi. In the tyre service description in accordance with new tyre designation the maximum load is also given through the load index code.

Some tyre show in the service description the additional markings “reinf.” which is indicates a reinforced structure for an increased load capacity. This higher load is already contained in the maximum load inscription. For higher than indicated capacities in the case of reduced speed consult ANLAS.

The max. permitted speed for a tyre is indicated by a specific speed index-code.

5 LOAD INDEX & SPEED SYMBOL

Load Index- 69 (325 Kg)
Speed Symbol - V (>240 km/h)

6 TIRE CONSTRUCTION DETAILS
TREAD: 2 PLIES POLYESTER+1 PLY STEEL
SIDEWALL: 2 PLIES POLYESTER

7 DOT MARKING
DOT - USA Ministry of Transport Acronym
1KL - Business Code 8C - Size Code

8 Production Date
(16) - week last 2 step (16) - Year

9 TYPE OF CONSTRUCTION AND TUBELESS
(Tubeless) / TUBE TYPE
RADIALTUBELESS

10 CONFIRMATION NUMBER E8 75R - 000919

SPEED INDEX		LOAD INDEX					
B	50 km/h	100	80 kg	42	100 kg	44	120 kg
C	60 km/h	21	82.5 kg	43	105 kg	45	200 kg
D	65 km/h	24	85 kg	44	110 kg	46	220 kg
E	70 km/h	23	87.5 kg	45	115 kg	47	237 kg
F	80 km/h	24	90 kg	46	120 kg	48	255 kg
G	90 km/h	25	92.5 kg	47	125 kg	49	325 kg
H	100 km/h	26	95 kg	48	130 kg	50	355 kg
K	110 km/h	27	97 kg	49	135 kg	51	345 kg
L	120 km/h	28	100 kg	50	140 kg	52	355 kg
M	130 km/h	29	103 kg	51	145 kg	53	365 kg
N	140 km/h	30	105 kg	52	150 kg	54	375 kg
P	150 km/h	31	109 kg	53	155 kg	55	387 kg
Q	160 km/h	32	112 kg	54	160 kg	56	400 kg
R	170 km/h	33	115 kg	55	165 kg	57	412 kg
S	180 km/h	34	118 kg	56	170 kg	58	425 kg
T	190 km/h	35	121 kg	57	175 kg	59	437 kg
U	200 km/h	36	125 kg	58	180 kg	60	450 kg
H	210 km/h	37	128 kg	59	185 kg	61	462 kg
V/VB	240 km/h	38	132 kg	60	190 kg	62	475 kg
(V) (VB)	over 240 km/h	39	135 kg	61	195 kg	63	487 kg
W	270 km/h	40	140 kg	62	200 kg	64	500 kg
(W)	over 270 km/h	41	145 kg	63	205 kg	65	515 kg



Headquarters

Ahi Evran Cd. 42 Maslak Ofis 1 No:03/02 34398 Maslak - İstanbul / TURKEY

P: (+90) 212 265 06 80 F: (+90) 212 265 99 27


Factory

Şimşir Mah. Düzce Cad. No:82 81900 Kaynaşlı - Düzce / TURKEY

P: (+90) 380 544 20 35 - 36 F: (+90) 380 544 26 69

www.anlas.com

info@anlas.com



anlastyres



anlastyres



ANLAS Motorcycle Tyres